

HOLLOW DECKING

THE DURABLE ALTERNATIVE TO TIMBER



Composite hollow decking is perfect for gardens, patios, pool areas and holiday homes. Its recycled wood polymer construction makes composite wood so much more durable than timber. Composite wood has added resistance to damage from a variety of the common threats to the appearance of decking; whether that be bicycles, barbecues, party-goers, paddling pools or garden furniture.

Scrubbing and staining your deck every year is a thing of the past with composite wood decking. It comes in four

natural shades that resist the fading caused by sunlight and air pollutants. The colour is also constant through the entire core of the product so composite wood's appearance with regard to its colour has greater longevity, with something as simple as an annual, light jet wash being enough to uphold this level of appearance.

Clever concealed fixings give a neat, flawless finish which can be installed quickly and easily making composite wood the ideal decking choice.

BENEFITS OF COMPOSITE HOLLOW DECKING



20-year guarantee



Natural look




Durable and long lasting



Slip resistant



No painting or staining



Seamless installation with hidden fixings



Durable and strong with lifelong beauty

- ▶ Hollow decking is made using a unique homogenous wood polymer construction that maintains its high performance for years and years without the need for time consuming maintenance and painting
- ▶ Hollow decking is constructed from ethically sourced, traceable recycled wood from timber mills and recycled plastic polymer
- ▶ Hollow decking is colour stabilised to protect it from UV rays and other fading effects
- ▶ Hollow decking has 60% timber content to prevent damage. It is strong enough to withstand stiletto heels and is naturally slip resistant and splinter free making it safer for children, visitors and pets

HOLLOW DECKING



Hollow decking – top tips

- ▶ Providing expansion gaps allows proper drainage and ventilation to the sub base which prevents the timber from rotting
- ▶ Do not lay the decking boards directly onto a solid surface
- ▶ Always allow a 150mm air-gap to create unobstructed airflow under the deck
- ▶ Hollow decking requires a smaller level of maintenance over its life. Cleaning up with a garden hose is sufficient to uphold its colour
- ▶ Do not use aggressive chemical cleaning products
- ▶ Hollow decking can be cleaned with a pressure washer, but its important to ensure the unit is less than 80 bar, the temperature must be no more than 40°C, and position the lance head no closer than 30cm
- ▶ Do not place heavy items over 100kg on your deck or drag furniture across the decking planks which could damage your deck.



Colours available

- ▶ With four colour options you can create decking designs to give your garden, holiday home or patio a truly stylish look.



HOLLOW DECKING

DECKING BOARDS

www.eurocell.co.uk/decking-calculator



Use our **FREE simple decking calculator** to quickly estimate the products you need for your project

Double-sided hollow decking board

Double-sided Hollow Decking Board
(Woodgrain & Grooved)
Size: D:25mmxW:145mmxL:3660mm

Ancient Black **EC-DECK-AB**

Antique Ash **EC-DECK-AA**

Salt Lake Silver **EC-DECK-SLS**

Wild Brown **EC-DECK-WB**

▶ Timber, aluminum or composite joists are available, please ask in branch



WOODGRAIN



GROOVED

ANCIENT BLACK



ANTIQUÉ ASH



SALT LAKE SILVER



WILD BROWN



Warranty Details Decking

Eurocell Decking is covered by a Twenty (20) year warranty against warping, cracking, splitting, rotting and fungal decay caused by manufacturing defects, when subject to normal use. For the full terms and conditions of this warranty please ask our branch staff for further documentation.

**20-YR
GUARANTEE**
Conditions apply*

HOLLOW DECKING

TRIMS AND ACCESSORIES

www.eurocell.co.uk/decking-calculator



Use our **FREE** simple decking calculator to quickly estimate the products you need for your project


Step & Edge Nosing Woodgrain –
Size: 150mmx25mmx3660mm

Ancient Black **EC-STEPNOSE-AB-WG**

Antique Ash **EC-STEPNOSE-AA-WG**

Salt Lake Silver **EC-STEPNOSE-SLS-WG**

Wild Brown **EC-STEPNOSE-WB-WG**



Wild Brown

Step & Edge Nosing Groove –
Size: 150mmx25mmx3660mm

Ancient Black **EC-STEPNOSE-AB-GR**

Antique Ash **EC-STEPNOSE-AA-GR**

Salt Lake Silver **EC-STEPNOSE-SLS-GR**

Wild Brown **EC-STEPNOSE-WB-GR**



Wild Brown


Edging Trim –
Size: 42mmx6mmx3660mm

Ancient Black **EC-EDGETRIM-AB**

Antique Ash **EC-EDGETRIM-AA**

Salt Lake Silver **EC-EDGETRIM-SLS**

Wild Brown **EC-EDGETRIM-WB**



Salt Lake Silver


Fascia Board –
Size: 150mmx15mmx3660mm

Ancient Black **EC-FASCIA-AB**

Antique Ash **EC-FASCIA-AA**

Salt Lake Silver **EC-FASCIA-SLS**

Wild Brown **EC-FASCIA-WB**



Ancient Black

Stainless Steel Clip

Stainless Steel **TG-SSCLIP**



Starter Clip

Stainless Steel **EC-STCLIP**



PE Clip

EC-PECLIP



Locking Clip

EC-LOCKCLIP

