


ProSecure™

Enhanced Security

Door Hinge

From box to fitted in under 58 seconds.



Pre-assembled · Rapid installation technology ·
Faster to fit than any other hinge ·





ProSecure Door Hinge

Enhanced Security.

This ProSecure enhanced security door hinge is faster to than any other security door hinge on the market.

The only hinge supplied in one piece ready to fit straight from the box, the ProSecure hinge can be fitted in less than a minute - proven in time trials under test conditions.

Glider technology enables the whole hinge to slide straight onto the frame in one complete piece. Virtually jigless, it only needs two holes to be pre-drilled in the frame and, once in place, the captive sash lid pivots open to allow the concealed fixing datum to be screwed directly to the sash.

For doors being fitted into low reveals, the ProSecure hinge can also be front fitted just as quickly, simply by removing the steel hinge pin.

Static-cling TechTape protects the hinge lid during fabrication and installation.

WATCH IT IN ACTION
mila.co.uk/prosecure-door-hinge



Strong, Secure and Fast.



Supplied Fully Assembled
 ready to fit, straight from the box

2 Installation Options
 slide-on or front fit

Virtually Jigless
 only 2 holes to pre-drill

Patented Adjustment Technology
 rotate your Allen key 90° to achieve +/-5mm lateral adjustment. Lock into place to prevent creep.

Full 3D Refinement
 vertical (+5mm) and compression (+/-1mm) adjustment

Captive Hinge Lid
 pivots open and closed for easy installation



Extreme performance tested to...

BSEN 1670:2007 Grade 5 for **extreme corrosion resistance**

BSEN 1935:2002 Grade 12 for **extreme durability** achieving 200,000 cycles under load

100kg sash weight for **heavy duty** doors

PAS 24:2016 for **enhanced security**

Police preferred specification - **Secured by Design** approved

Fit it fast...




Jig



Slide-on



Lift & Fit



Adjust



Or front-fit on-site for low reveals

13 Colour Options.



Polished Gold



Polished Chrome



Smooth Satin Chrome



Smokey Chrome



Black



White



Light Oak



Brown




Chartwell Green




Anthracite Grey



Silk Grey




Cement Grey




Cream

Dimensional Drawings.




FRONT




REVERSE




Jig



TOP/BOTTOM



SIDE



Rubber Tongue
Ensures the hinge lid remains open until installation is complete

Part Numbers.

Description	Rebate	Polished Gold	Polished Chrome	Smooth Satin Chrome	Smokey Chrome	Black	White	Light Oak	Brown
ProSecure Door Hinge	16mm	026002	026004	026019	026007	026005	026000	026003	026001
ProSecure Door Hinge	17mm	026022	026024	026039	026027	026025	026020	026023	026021
ProSecure Door Hinge	18mm	026042	026044	026059	026047	026045	026040	026043	026041
ProSecure Door Hinge	19mm	026062	026064	026079	026067	026065	026060	026063	026061
ProSecure Door Hinge	20mm	026082	026084	026099	026087	026085	026080	026083	026081
ProSecure Door Hinge	21mm	026102	026104	026119	026107	026105	026100	026103	026101
ProSecure Door Hinge	22mm	026122	026124	026139	026127	026125	026120	026123	026121
ProSecure Door Hinge	23mm	026142	026144	026159	026147	026145	026140	026143	026141
ProSecure Door Hinge	24mm	026162	026164	026179	026167	026165	026160	026163	026161

Description	Rebate	Chartwell Green	Anthracite Grey	Silk Grey	Cement Grey	Cream
ProSecure Door Hinge	16mm	026008	026009	026010	026011	026012
ProSecure Door Hinge	17mm	026028	026029	026030	026031	026032
ProSecure Door Hinge	18mm	026048	026049	026050	026051	026052
ProSecure Door Hinge	19mm	026068	026069	026070	026071	026072
ProSecure Door Hinge	20mm	026088	026089	026090	026091	026092
ProSecure Door Hinge	21mm	026108	026109	026110	026111	026112
ProSecure Door Hinge	22mm	026128	026129	026130	026131	026132
ProSecure Door Hinge	23mm	026148	026149	026150	026151	026152
ProSecure Door Hinge	24mm	026168	026169	026170	026171	026172

Jig

026900

Call our sales office directly
01327 312 400

Email
sales@mila.co.uk

Visit
mila.co.uk

